

Managing decomposed belief functions

Johan SCHUBERT

Department of Data and Information Fusion
Division of Command and Control Systems
Swedish Defence Research Agency
SE-164 90 Stockholm, Sweden
schubert@foi.se
<http://www.foi.se/fusion/>

Abstract

In this paper we develop a method for clustering all types of belief functions, in particular non-consonant belief functions. Such clustering is done when the belief functions concern multiple events, and all belief functions are mixed up. Clustering is performed by decomposing all belief functions into simple support and inverse simple support functions that are clustered based on their pairwise generalized weights of conflict, constrained by weights of attraction assigned to keep track of all decompositions. The generalized conflict $c \in (-\infty, \infty)$ and generalized weight of conflict $J \in (-\infty, \infty)$ is derived in the combination of simple support and inverse simple support functions.

Keywords: belief functions, Dempster-Shafer theory, decomposition, clustering, data fission.

1 Introduction

In earlier papers [1, 5–6] we developed methods within Dempster-Shafer theory [2, 10–11] to manage simple support functions (SSFs) that concern different events where the SSFs were mixed up. This was the case when it was not known a priori to which event each SSF was related. The SSFs were clustered into subsets that should

be handled independently. This was based on minimizing pairwise conflicts within each cluster where conflicts served as repulsion, forcing conflicting SSFs into different clusters.

This method was extended [7–8] into also handling external information of an attracting nature, where attractions between SSFs suggested they belonged together.

In this paper we develop a method for managing non-consonant belief functions concerning different events where the belief functions are mixed up¹. This is the general case where no a priori information is available regarding which event the belief functions refer to. This method is based on the extension introducing attractions and a decomposition method for belief functions.

First, all belief functions are decomposed into a set of SSFs and inverse simple support functions (ISSFs) [12], where an ISSF on a frame of discernment Θ is a function $m:2^\Theta \rightarrow (-\infty, \infty)$ characterized by a weight $w \in (1, \infty)$ and a focal element $A \subseteq \Theta$, such that $m(\Theta) = w$, $m(A) = 1 - w$ and $m(X) = 0$ when $X \notin \{A, \Theta\}$.

Secondly, generalized weights of conflicts are calculated for all pairs in the set of

¹Consonant belief functions can be handled in the same way as SSFs without the method developed in this paper, by clustering the consonant belief functions without any decomposition using conflicts only [1].

decomposed SSFs and ISSFs, except when both originate from the same belief function. Weights of attraction are assigned when they do originate from the same belief function.

Finally, all SSFs and ISSFs are clustered based on their pairwise generalized weights of conflict where the weights of attraction are used as constraints forcing SSFs and ISSFs that originate from the same belief function to end up in the same cluster. After clustering, SSFs and ISSFs originating from the same belief function may be exchanged for the original belief function. The belief functions within each cluster can then be combined as a series of independent subproblems.

The number of clusters in the clustering process is outside the scope of this paper. It can be managed with other methods, e.g., the sequential estimation method proposed by Schubert and Sidenbladh [9].

The methodology developed in this paper is intended to manage intelligence reports whose uncertainty is represented as belief functions with several alternative nonspecific propositions. This can be the case when handling human intelligence (HUMINT) or for that matter sensor reports from some advanced type of sensor. Presumably, humans as information sources will on average deliver fewer but more complex intelligence reports than sensor systems. Such complex intelligence can be decomposed and managed with these methods.

For a recent overview over different alternatives to manage the combination of conflicting belief functions, see [14].

We begin by describing the decomposition method for belief functions (Section 2). In Section 3 we study the characteristics of all types of combinations of SSFs and ISSFs and how generalized conflicts between SSFs and ISSFs are mapped onto weights. We demonstrate how to manage all SSFs and ISSFs using these weights together with

logical constraints that keeps track of the decomposition (Section 4). Finally, in Section 5, conclusions are drawn.

2 Decomposition

All belief functions are decomposed using the method developed by Smets [12]. We include a short description here (rather than just giving the reference) for completeness.

First, for any non-dogmatic belief function Bel_0 , i.e., where $m_0(\Theta) > 0$, calculate the commonality number for all focal elements. We have

$$Q_0(A) = \sum_{B \supseteq A} m_0(B). \quad (1)$$

Secondly, calculate $m_i(C)$ for all decomposed SSFs and ISSFs. We get

$$\begin{aligned} m_i(C) &= 1 - \prod_{A \supseteq C} Q_0(A)^{(-1)^{|A|-|C|+1}} \\ m_i(\Theta) &= 1 - m_i(C) \end{aligned} \quad (2)$$

For dogmatic belief functions assign $m_0(\Theta) = \varepsilon > 0$ and discount all other focal elements proportionally.

For further details and a nice example, see [12]. For fast computation, take the logarithm of the product terms in Eq. (2) and use the Fast Möbius Transform [3].

3 Combining Simple Support Functions and Inverse Simple Support Functions

When combining two decomposed parts from two different belief function we face three different situations: The combination of two SSFs, one SSF and one ISSF, or two ISSFs. These situations are studied below.

However, let us first recall the meaning of SSFs and ISSFs, [12]: A SSF $m_1(A) \in [0, 1]$ represents a state of belief that “You have some reason to believe that the actual world is in A (and nothing more)”. An ISSF

$m_2(A) \in (-\infty, 0)$ on the other hand, represents a state of belief that “You have some reason *not* to believe that the actual world is in A”. Equivalently, in the terminology of [12], A_1^w where $w \in [0, 1]$ and A_2^w where $w \in (1, \infty)$, respectively. Here, w is the mass assigned to Θ in m_1 and m_2 .

The ISSF A_2^w can be understood as some reason *not* to believe in A due to its absorbing belief. A simple example is one SSF $A_1^{3/4}$, i.e., $m_1(A) = 1/4$ and $m_1(\Theta) = 3/4$, and one ISSF $A_2^{4/3}$, i.e., $m_2(A) = -1/3$ and $m_2(\Theta) = 4/3$. Combining these two functions $A_1^{3/4} \oplus A_2^{4/3} = A_1^{3/4} \ominus A_2^{3/4} = A^1$ (i.e., $m_{12}(\Theta) = 1$) yields a vacuous belief function. Here, $\text{Bel}_x \oplus A_1^y = \text{Bel}_x \ominus A_1^{1/y}$ and \ominus is the decombination operator absorbing belief [12]. Thus, the ISSF $A_2^{4/3}$ can be interpreted as 1/4 reason *not* to believe in A, since it precisely eliminates the 1/4 support in A expressed by $A_1^{3/4}$.

3.1 Two SSF

In this situation we have two SSFs where $m_1(A) \in [0, 1]$ and $m_2(B) \in [0, 1]$.

When the two simple support functions are combined we receive a conflict $c_{12} \in [0, 1]$ whenever $A \cap B = \emptyset$. A weight of conflict is calculated by

$$J_{ij}^- = -\log(1 - c_{ij}) \quad (3)$$

where $J_{ij}^- \in [0, \infty)$ but will be constrained to $J_{ij}^- \in [0, 5]$ in our neural clustering process [1, 8] for computational reasons. This will

ensure convergence. The weight J_{ij}^- will work as repulsion between m_1 and m_2 in the clustering process.

This is the usual situation. It is proper that two propositions referring to different conflicting hypotheses are not combined when they are highly conflicting. Using the conflict we obtain such a graded measure (see [5]).

3.2 One SSF and one ISSF

The situation when combining one SSF m_1 with one ISSF m_2 is interesting and unproblematic. Here, we have A_1^w where $w \in [0, 1]$ as usual, and B_2^w where $w \in (1, \infty)$, i.e., in terms of mass functions $m_2(B) \in (-\infty, 0)$.

Thus, when we combine a SSF A_1^w with an ISSF B_2^w we receive a generalized conflict $c_{12} \in (-\infty, 0]$ whenever $A \cap B = \emptyset$. Using eq. (3) we get a generalized weight of conflict $J_{12}^- \in (-\infty, 0]$ which will serve as a weak attraction between m_1 and m_2 . As before we will constrain the generalized weight of conflict for computational reasons, here to $J_{ij}^- \in [-5, 0]$.

The weak attraction is proper and rather immediate. If you believe in a proposition A (A_1^w , $0 \leq w \leq 1$) and you receive further evidence indicating you have some reason *not* to believe in B (B_1^w , $w > 1$), $A \cap B = \emptyset$, that is an indirect weak support of A as some alternatives of the frame not supported by m_1 are disbelieved.

A simple example will demonstrate this. Suppose you have an SSF $A_1^{1/2}$ and an ISSF

$B_2^{3/2}$. Combining them will result in a new type of object, henceforth called a pseudo belief function [12].

In standard notation $A_1^{1/2}$ is

$$m_1(X) = \begin{cases} 1/2, X = A \\ 1/2, X = \Theta \end{cases} \quad (4)$$

and $B_2^{3/2}$ is

$$m_2(X) = \begin{cases} -1/2, X = B \\ 3/2, X = \Theta \end{cases} \quad (5)$$

A straightforward combination of m_1 and m_2 yields a pseudo belief function

$$m_{12}(X) = \begin{cases} 3/4, X = A \\ -1/4, X = B \\ 3/4, X = \Theta \\ -1/4, X = \emptyset \end{cases} \quad (6)$$

without normalization and

$$m_{12}(X) = \begin{cases} 3/5, X = A \\ -1/5, X = B \\ 3/5, X = \Theta \end{cases} \quad (7)$$

after normalization. This is an increase of m_1 's support for A from 1/2 to 3/4 and 3/5, respectively, after combination with m_2 . Note the interesting effect of normalization. Usually mass on the empty set is distributed proportionally among all focal elements by weighting up the support of the focal elements through normalization. When $m(\emptyset) < 0$, then instead, the support for each focal element is weighted down to distribute support to the empty set so as to make $m(\emptyset) = 0$.

This support for the focal elements of m_{12} is different from the one we would have if we instead had received support for B^c of 1/2, $A \cap B = \emptyset$. Assume we have

$$m_3(X) = \begin{cases} 1/2, X = B^c \\ 1/2, X = \Theta \end{cases}, \quad (8)$$

then combining m_1 and m_3 yields

$$m_{13}(X) = \begin{cases} 1/2, X = A \\ 1/4, X = B^c \\ 1/4, X = \Theta \end{cases} \quad (9)$$

i.e., support for A of 1/2, or 3/4 if $B^c \equiv A$.

When two conflicting belief functions are decomposed, each into several SSFs and ISSFs, the conflict between the SSFs originating from different belief functions will be higher than that between the two belief functions. This is because the SSFs have higher masses on their focal elements than the corresponding belief function, now that we also have ISSFs with negative mass.

A simple example will demonstrate the situation. Let us assume two belief functions m_a and m_b whose basic belief assignments are

$$m_a(X) = \begin{cases} 1/2, X = \{A, B\} \\ 3/10, X = \{A, C\} \\ 1/5, X = \Theta \end{cases} \quad (10)$$

and

$$m_b(X) = \begin{cases} 1/2, X = \{A, B\} \\ 3/10, X = \{B, D\} \\ 1/5, X = \Theta \end{cases} \quad (11)$$

The combination of m_a and m_b yields a conflict in the intersection of each function's second focal element $\{A, C\} \cap \{B, D\} = \emptyset$ of $m_{a \oplus b}(\emptyset) = 9/100$.

Using the decomposition algorithm, m_a can be decomposed into three functions. We get two SSFs $\{A, B\}_{a_1}^{2/7}$ and $\{A, C\}_{a_2}^{2/5}$, and one ISSF $A_{a_3}^{7/4}$, where $m_{a_1} \oplus m_{a_2} \oplus m_{a_3} = m_a$.

Similarly, m_b can be decomposed into two SSFs $\{A, B\}_{b_1}^{2/7}$ and $\{B, D\}_{b_2}^{2/5}$, and one ISSF $B_{b_3}^{7/4}$. Of the four pairs of SSFs (one from each decomposed belief function) only m_{a_2} and m_{b_2} are in conflict; $\{A, C\} \cap \{B, D\} = \emptyset$, see Figure 1.




Figure 1: Generalized conflicts between SSFs and ISSFs originating from m_a and m_b .

Combining m_{a_2} and m_{b_2} (or for that matter all four SSFs m_{a_1} , m_{a_2} , m_{b_1} , and m_{b_2}) yields a conflict $m_{a_2 \oplus b_2}(\emptyset) = 9/25$, i.e., four times as much conflict as in the combination $m_a \oplus m_b$. This will be compensated with a negative generalized conflict when including the two ISSFs m_{a_3} and m_{b_3} in the picture. We observe (in Figure 1) generalized conflicts between m_{a_2} and m_{b_3} , and between m_{a_3} and m_{b_2} , respectively, i.e., $m_{a_2 \oplus b_3}(\emptyset) = m_{a_3 \oplus b_2}(\emptyset) = -9/20$.

3.3 Two ISSFs

The situation when combining two inverse simple support functions (ISSFs) m_1 and m_2 is perhaps the most interesting case. Here, we have two ISSFs A_1^w and B_2^w where $w \in (1, \infty)$, i.e., in terms of mass functions $m_1(A) \in (-\infty, 0)$ and $m_2(B) \in (-\infty, 0)$.

Assuming $A \cap B = \emptyset$, we receive a generalized conflict $c_{12} \in (0, \infty)$ when combining m_1 and m_2 that will serve as a

repellence. This is proper but perhaps not immediately intuitive. Let us again look at an example. Let us combine $A_1^{3/2}$ and $B_2^{3/2}$, i.e., $m_1(A) = m_2(B) = -1/2$ or in other terms you have some (1/3) reason *not* to believe that the actual world is A and B, respectively, since $\text{Bel}_X \oplus A_1^{3/2} = \text{Bel}_X \ominus A_1^{2/3}$, where \ominus is the decombination operator [12]. We have

$$m_1(X) = \begin{cases} -1/2, X = A \\ 3/2, X = \Theta \end{cases} \quad (12)$$

and

$$m_2(X) = \begin{cases} -1/2, X = B \\ 3/2, X = \Theta \end{cases} \quad (13)$$

Combining m_1 and m_2 gives us

$$m_{1 \oplus 2}(X) = \begin{cases} -3/4, X = A \\ -3/4, X = B \\ 9/4, X = \Theta \\ 1/4, X = \emptyset \end{cases} \quad (14)$$

without normalization and

$$m_{1 \oplus 2}(X) = \begin{cases} -1, X = A \\ -1, X = B \\ 3, X = \Theta \end{cases} \quad (15)$$

after normalization.

The positive conflict $c_{12} = 1/4$ will serve to repel m_1 and m_2 which is proper since m_1 and m_2 contradict each other. This is observed in the decrease of belief in $X = A$ and $X = B$ where $m_{1 \oplus 2}(A) < m_1(A)$ and $m_{1 \oplus 2}(B) < m_2(B)$, i.e., the reason to doubt that $X = A$ increases.

When the generalized conflict is greater than 1 we can not use Eq. (3) to calculate a generalized weight of conflict as the logarithm is not defined for values less than

0. We call this *hyper conflicting*. We note that the “1” in Eq. (3) is however just a way to map a mass in the $[0, 1]$ interval to a weight in the $[0, \infty)$ interval. As there is nothing special about the “1” in Eq. (3) other than being an upper limit for a traditional conflict we can choose any other value greater than 1 to map hyper conflicts onto weights. One radical alternative would be to adjust the value to each application by choosing to map the interval $[0, \max\{c_{ij}|\forall i, j\}]$ to the interval $[0, \infty)$ in the case with two ISSFs or $(-\infty, \max\{c_{ij}|\forall i, j\}]$ to $(-\infty, \infty)$ in the general case. We could redefine Eq. (3) as

$$J_{ij}^- = -\log(\max\{c_{ij}|\forall i, j\} - c_{ij}). \quad (16)$$

However, we will not do so. While this would work there are some drawbacks involved in choosing such a solution. First, if the maximum value is very high compared to most other generalized conflicts, most generalized weights of conflict would be very small which would lead to a slow convergence in the clustering process. Secondly, having a generalized conflict mapped into different generalized weights of conflict depending on the application is not attractive. Thirdly, we would like to maintain consistency with clustering only SSFs where two SSFs that flatly contradict each other for a conflict of 1 also receives a weight of conflict of ∞ and nothing less.

Thus, we will map any hyper conflicting generalized conflict > 1 to a weight of ∞ . For generalized conflicts less than 0 there are of course no problems. From this we may redefine Eq. (3) as

$$J_{ij}^- = -\log(1 - \min\{1, c_{ij}\}). \quad (17)$$

where $J_{ij}^- \in (-\infty, \infty)$. As before we will, however, for computational reasons restrict the generalized weight of conflict to $J_{ij}^- \in (-5, 5)$.

4 Clustering SSFs and ISSFs

Having decomposed all belief functions into SSFs and ISSFs we may now cluster them using the Potts spin [15] neural clustering method extended with attractions [8].

The Potts spin problem consists of minimizing an energy function

$$E = \frac{1}{2} \sum_{i,j=1}^N \sum_{a=1}^q (J_{ij}^- - J_{ij}^+) S_{ia} S_{ja} \quad (18)$$

by changing the states of the spins S_{ia} 's, where $S_{ia} \in \{0, 1\}$ and $S_{ia} = 1$ means that m_i is in cluster a . This model serves as a clustering method if J_{ij}^- is used as a penalty factor when m_i and m_j are in the same cluster.

However, if m_i and m_j originate from the same belief function we assign $c_{ij} := 0$ and $p_{ij} := 1$, otherwise $p_{ij} := 0$. To assure smooth convergence of the neural network J_{ij}^- is restricted to $[-5, 5]$, while J_{ij}^+ belongs to $\{0, 5\}$ in this application.

Let us calculate the generalized weight of conflict between m_i and m_j , taking the restriction into account, Figure 2, as

$$J_{ij}^- = \begin{cases} 0, & \exists x. m_i, m_j \in \text{Bel}_x \\ -5, & \forall x. m_i, m_j \notin \text{Bel}_x, \\ & c_{ij} \leq 1 - e^5 \\ -\ln(1 - c_{ij}), & \forall x. m_i, m_j \notin \text{Bel}_x, \\ & 1 - e^5 < c_{ij} < 1 - e^{-5} \\ 5, & \forall x. m_i, m_j \notin \text{Bel}_x, \\ & c_{ij} \geq 1 - e^{-5} \end{cases} \quad (19)$$

and assign weights of attraction as

$$J_{ij}^+ = \begin{cases} 5, & \exists x. m_i, m_j \in \text{Bel}_x \\ 0, & \forall x. m_i, m_j \notin \text{Bel}_x \end{cases}, \quad (20)$$

enforcing the constraints that SSFs and

ISSFs originating from the same belief function end up in the same cluster.




Figure 2: The generalized weight of conflict J_{ij}^- in Eq. (19) as a function of the generalized conflict c_{ij} when $m_i, m_j \notin \text{Bel}_x$.

The clustering of all SSFs and ISSFs is made using the Potts spin neural clustering method extended with attractions. The minimization of the energy function, Eq. (18), is carried out by simulated annealing. In simulated annealing temperature is an important parameter. The process starts at a high temperature where the S_{ia} change state more or less at random taking little account of the interactions (J_{ij} 's). The process continues by gradually lowering the temperature. As the temperature is lowered the random flipping of spins gradually come to a halt and the spins gradually become more influenced by the interactions (J_{ij} 's) so that a minimum of the energy function is reached. This gives us the best partition of all evidence into the clusters with minimal overall conflict.

For computational reasons we use a mean field model, where spins are deterministic with $V_{ia} = \langle S_{ia} \rangle$, $V_{ia} \in [0, 1]$, in order to find the minimum of the energy function. The Potts mean field equations are formulated [4] as

$$V_{ia} = \frac{e^{-H_{ia}[V]/T}}{\sum_{b=1}^K e^{-H_{ib}[V]/T}} \quad (21)$$

where

$$H_{ia}[V] = \sum_{j=1}^N (J_{ij}^- - J_{ij}^+) V_{ja} - \gamma V_{ia} + \alpha \sum_{j=1}^N V_{ja}. \quad (22)$$

In order to minimize the energy function Eqs. (21) and (22) are iterated until a stationary equilibrium state has been reached for each temperature. Then, the temperature is lowered step by step by a constant factor until $\forall i, a. V_{ia} = 0, 1$ in the stationary equilibrium state, Figure 3.

INITIALIZE

K (the problem size); $N = 2^K - 1$;
 Calculate $J_{ij}^- \forall i, j$ using Eq. (19);
 Assign $J_{ij}^+ \forall i, j$ using Eq. (20);
 $s = 0$; $t = 0$; $\varepsilon = 0.001$; $\tau = 0.9$; $\gamma = 0.5$;
 $T^0 = T_c$ (a critical temperature)
 $= \frac{1}{K} \cdot \max(-\lambda_{min}, \lambda_{max})$, where λ_{min} and λ_{max} are the extreme eigenvalues of M ,
 where $M_{ij} = J_{ij}^- - J_{ij}^+ - \gamma \delta_{ij}$;

$$V_{ia}^0 = \frac{1}{K} + \varepsilon \cdot \text{rand}[0,1] \quad \forall i, a;$$

REPEAT

• REPEAT-2

$\forall i$ Do:

$$H_{ia}^s = \sum_{j=1}^N (J_{ij}^- - J_{ij}^+) V_{ja}^s \begin{cases} s+1, & j < i \\ s, & j \geq i \end{cases} - \gamma V_{ia}^s \quad \forall a;$$

$$F_i^s = \sum_{a=1}^K e^{-H_{ia}^s/T^t};$$

$$V_{ia}^{s+1} = \frac{e^{-H_{ia}^s/T^t}}{F_i^s} + \varepsilon \cdot \text{rand}[0,1] \quad \forall a;$$

$s = s + 1$;

UNTIL-2

$$\frac{1}{N} \sum_{i,a} |V_{ia}^s - V_{ia}^{s-1}| \leq 0.01;$$

- $T^{t+1} = \tau \cdot T^t$;
- $t = t + 1$;

UNTIL

$$\frac{1}{N} \sum_{i,a} (V_{ia}^s)^2 \geq 0.99;$$

RETURN

$$\{\chi_a | \forall S_i \in \chi_a. \forall b \neq a. V_{ia}^s > V_{ib}^s\};$$

Figure 3: Clustering algorithm.

After clustering, the set of SSFs and ISSFs which originate from the same belief function can be substituted by the original belief function itself. Each cluster will now be handled as an independent subproblem.

5 Conclusions

In this paper we have developed a methodology which makes it possible to cluster belief functions that are mixed up by first decomposing the belief functions into simple support functions and inverse simple support functions and then adopting a neural clustering algorithm intended for simple support functions to handle both SSFs and ISSFs while recording their decomposition for postclustering recomposing. With this method we may cluster any type of belief function, and in particular non-consonant belief functions.

Acknowledgements

I wish to express my sincere appreciation to the late Prof. Philippe Smets. The idea to decompose mixed up belief functions into SSFs and ISSFs in order to cluster all pieces was suggested by him [13].

References

- [1] M. Bengtsson and J. Schubert (2001). Dempster-Shafer clustering using Potts spin mean field theory. *Soft Computing*, 5(3), 215–228.
- [2] A. P. Dempster (1968). A generalization of Bayesian inference. *Journal of the Royal Statistical Society Series B*, 30(2), 205–247.
- [3] R. Kennes (1992). Computational aspects of the Möbius transformation of graphs. *IEEE Transactions on Systems, Man, and Cybernetics*, 22(2), 201–223.
- [4] C. Peterson and B. Söderberg (1989). A new method for mapping optimization problems onto neural networks. *International Journal of Neural Systems*, 1(1), 3–22.
- [5] J. Schubert (1993). On nonspecific evidence. *International Journal of Intelligent Systems*, 8(6), 711–725.
- [6] J. Schubert (1996). Specifying Nonspecific Evidence. *International Journal of Intelligent Systems*, 11(8), 525–563.
- [7] J. Schubert (2003). Clustering belief functions based on attracting and conflicting metalevel evidence. In *Intelligent Systems for Information Processing: From Representation to Applications*, B. Bouchon-Meunier, L. Foulloy and R. R. Yager (Eds.), pages 349–360, Elsevier Science, Amsterdam.
- [8] J. Schubert (2004). Clustering belief functions based on attracting and conflicting metalevel evidence using Potts spin mean field theory. *Information Fusion*, 5(4), 309–318.
- [9] J. Schubert and H. Sidenbladh (2005). Sequential clustering with particle filtering – estimating the number of clusters from data. In *Proceedings of the Eighth International Conference on Information Fusion*, Paper A4-3, pages 1–8, Philadelphia, USA, July 2005.
- [10] G. Shafer (1976). *A Mathematical Theory of Evidence*. Princeton University Press, Princeton, NJ.
- [11] P. Smets and R. Kennes (1994). The transferable belief model. *Artificial Intelligence*, 66(2), 191–234.
- [12] P. Smets (1995). The canonical decomposition of a weighted belief. In *Proceedings of the Fourteenth International Joint Conference on Artificial Intelligence*, volume 2, pages 1896–1901, Montréal, Canada, August 1995.
- [13] P. Smets (2000). Private communication.
- [14] P. Smets (2005, Mar.). Analyzing the combination of conflicting belief functions. [Online]. Available: http://iridia.ulb.ac.be/~psmets/Combi_Confl.pdf
- [15] F. Y. Wu (1982). The Potts model. *Reviews of Modern Physics*, 54(1), 235–268.